







1 SECTION
E101 REF: S400



2 SECTION
E101 REF: S400




3 SECTION
E101 REF: S400



4 SECTION
E101 REF: S400

2	Nov 12 2014	FOR FIELD	MPE
1	Oct 31 2014	REISSUE FOR FIELD	MPE
0	Oct 23 2014	FOR FIELD	MPE
REV	DATE	DESCRIPTION	BY

OHIO STEEL INDUSTRIES
9500 E. BROAD STREET SUMMIT STATION, OHIO



JOB NAME: AUSTIN LANDING (BUILDING LF)
CONTRACTOR: OSWALD COMPANY, INC.
ARCHITECT: PDT ARCHITECTS, LLC
DESCRIPTION: SECTIONS-SEQ. 1

NEW SHEET




DRAWINGS PREPARED BY:
GLOBAL DETAILING, INC.
JOB #: 14-466


HOLES: 13/16" ø UNO	DRAWN BY: MC	CHKD BY: TC	JOB NUMBER 14-040
FINISH:	DATE: 9-2014	DATE: 10-2014	SHEET NO E101



32




1 SECTION
E201 REF:



2 SECTION
E201 REF:

3	Nov 12 2014	FOR FIELD	MPE
2	Oct 31 2014	REISSUE FOR FIELD	MPE
1	Oct 29 2014	FOR FIELD USE	MPE
0	Sep 20 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY

OHIO STEEL INDUSTRIES
9500 E. BROAD STREET SUMMIT STATION, OHIO




JOB NAME: AUSTIN LANDING (BUILDING LF)
CONTRACTOR: OSWALD COMPANY, INC.
ARCHITECT: PDT ARCHITECTS, LLC

DESCRIPTION:


HOLES: 1 3/16" Ø UNO	DRAWN BY: MC	CHKD BY: TC	JOB NUMBER 14-040
FINISH:	DATE: 9-2014	DATE: 10-2014	SHEET NO E201

DRAWINGS PREPARED BY:
GLOBAL DETAILING, INC.
JOB #: 14-466




PARTIAL 3RD FLOOR

1) T.O. STEEL = ELEVATION 134.3 (U.N.O.)
2) (xx) = QUANTITY OF STUDS




SECTION 1

REF: S401




SECTION 2

REF: S401




PARTIAL BRACING ELEVATION


ALONG GRIDLINE 11 (LOOKING WEST)



TYPICAL SPLICE DETAIL



TYPICAL BENT PLATE
WELD DETAIL




SEQUENCE KEY PLAN
(3RD & 4TH FLOORS)

FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS

SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS, TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.



2	Nov 12 2014	FOR FIELD	MPE
1	Nov 1 2014	FOR FIELD	MPE
0	Sep 28 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO			
		JOB NAME: AUSTIN LANDING (BUILDING LF)	
		CONTRACTOR: OSWALD COMPANY, INC.	
		ARCHITECT: PDT ARCHITECTS, LLC	
		DESCRIPTION:	
HOLES: 13/16" Ø UNO		DRAWN BY: MC	CHKD BY: TC
FINISH:		DATE: 9-2014	DATE: 10-2014
		JOB NUMBER: 14-040	SHEET NO: E300




FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS

SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS. TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.




TYPICAL SPLICE DETAIL





SEQUENCE KEY PLAN
(3RD & 4TH FLOORS)

2	Nov 12 2014	FOR FIELD	MPE
1	Nov 1 2014	FOR FIELD	MPE
0	Sep 28 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO			
		JOB NAME: AUSTIN LANDING (BUILDING LF)	
		CONTRACTOR: OSWALD COMPANY, INC.	
		ARCHITECT: PDT ARCHITECTS, LLC	
		DESCRIPTION: PARTIAL 4TH FLOOR-SEQ. 3	
HOLES: 13/16" ø UNO		DRAWN BY: MC	CHKD BY: TC
FINISH:		DATE: 9-2014	JOB NUMBER: 14-040 SHEET NO: E301
			





REF: 4/S401



SEQUENCE KEY PLAN
(3RD & 4TH FLOORS)

1) T.O. STEEL = ELEVATION 134-3 (U.N.O.
2)



DRAWINGS PREPARED BY
GLOBAL DETAILING, INC.
JOB #: 14-466

1	Nov 12 2014	FOR FIELD		MPE
0	Nov 3 2014	FOR FIELD		MPE
A	Oct 1 2014	FOR APPROVAL		TC
REV	DATE	DESCRIPTION		BY


OHIO STEEL INDUSTRIES

9500 E. BROAD STREET SUMMIT STATION, OHIO

	JOB NAME: AUTSTIN LANDING (BUILDING LF)
	CONTRACTOR: OSWALD COMPANY, INC.
	ARCHITECT: PDT ARCHITECTS, LLC
	DESCRIPTION: 3rd FLOOR FRAMING PLAN - SEQ 4

HOLES: 13/16" Ø UNO	DRAWN BY: TC	CHK'D BY: MC	JOB NUMBER 14-040
FINISH: NO PAINT	DATE: 10-20-14	DATE: 10-29-14	SHEET NO E400

1



REF: 4A/S40

SEQUENCE KEY PLAN
(3RD & 4TH FLOORS)

SEQUENCE KEY PLAN
(3RD & 4TH FLOORS)

1) T.O. STEEL = ELEVATION 147-7 (U.N.O.)

2)

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS, TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.




DRAWINGS PREPARED BY
GLOBAL DETAILING, INC.
JOB #: 14-466


DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO		




HOLES: 13/16" Ø UNO	DRAWN BY: TC	CHK'D BY: MC	JOB NUMBER 14-040	
FINISH: NO PAINT	DATE: 10-2014	DATE: 10-29-14	SHEET NO F401	



PARTIAL BRACING ELEVATION
ALONG GRIDLINE 9 (LOOKING EAST)



PARTIAL BRACING ELEVATION
ALONG GRID LINE C (LOOKING NORTH)



PARTIAL BRACING ELEVATION
ALONG GRID LINE D (LOOKING NORTH)


FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS



SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS, TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.




DRAWINGS PREPARED BY:
GLOBAL DETAILING, INC.
JOB #: 14-466


1	Nov 12 2014	FOR FIELD	MPE
0	Nov 3 2014	FOR FIELD	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO			
		JOB NAME: AUTSTIN LANDING (BUILDING LF) CONTRACTOR: OSWALD COMPANY, INC. ARCHITECT: PDT ARCHITECTS, LLC DESCRIPTION: 3rd FLOOR FRAMING PLAN - SEQ 4	
HOLES: 13/16" Ø UNO	DRAWN BY: TC	CHKD BY: MC	JOB NUMBER 14-040
FINISH: NO PAINT	DATE: 10-2014	DATE: 10-29-14	SHEET NO E402



TYPICAL SPLICE DETAIL



TYPICAL BENT PLATE WELD DETAIL




FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS

SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS, TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.

2	Nov 12 2014	FOR FIELD	MPE
1	Nov 6 2014	FOR FIELD	MPE
0	Oct 7 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO			
 AMERICAN INSTITUTE OF STEEL CONSTRUCTION, INC. FOUNDED 1921			
JOB NAME:		AUTSTIN LANDING (BUILDING LF)	
CONTRACTOR:		OSWALD COMPANY, INC.	
ARCHITECT:		PDT ARCHITECTS, LLC	
DESCRIPTION:		5th FLOOR FRAMING PLAN-SEQ 5	
HOLES: 13/16" ø UNO	DRAWN BY: MPE	CHKD BY: GDI	JOB NUMBER 14-040
FINISH:	DATE: 10-2014	DATE: 10-31-14	SHEET NO E500

DRAWINGS PREPARED BY:
GLOBAL DETAILING, INC.
JOB #: 14-466




PARTIAL ROOF
FRAMING PLAN

1) J/B = JOIST BEARING ELEVATION (U.N.O.)
2)

FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS


SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS, TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.




2	Nov 12 2014	FOR FIELD	MPE
1	Nov 6 2014	FOR FIELD	MPE
0	Oct 7 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES			
9500 E. BROAD STREET SUMMIT STATION, OHIO			
	JOB NAME:	AUTSTIN LANDING (BUILDING LF)	
	CONTRACTOR:	OSWALD COMPANY, INC.	
	ARCHITECT:	PDT ARCHITECTS, LLC	
	DESCRIPTION:	5th FLOOR FRAMING PLAN-SEQ 5	
HOLES: 13/16" Ø UNO	DRAWN BY: MPE	CHKD BY: GDI	JOB NUMBER 14-040
FINISH:	DATE: 10-2014	DATE: 10-31-14	SHEET NO E501


DRAWINGS PREPARED BY:
GLOBAL DETAILING, INC.
JOB #: 14-466



PARTIAL BRACING ELEVATION
ALONG GRID LINE 11 (LOOKING EAST)



1 SECTION
REF: S401



2 SECTION
REF: S401

FIELD NOTE:
SLIP CRITICAL BOLTS (TC BOLTS) SHALL AT THE FOLLOWING LOCATIONS
A. MOMENT CONNECTION
B. COLUMN SPLICES
C. BRACING CONNECTIONS

SLIP CRITICAL BOLTS SHALL BE TIGHTEN PER AISC SPECIFICATIONS

ALL OTHER BOLTS NOT DESIGNATED AS SLIP CRITICAL BOLTS SHALL BE CONSIDERED BEARING BOLTS. DO NOT OVER TIGHTEN BEARING BOLTS. TIGHTEN BEARING BOLTS TO A SNUG CONDITION ONLY PER AISC SPECIFICATIONS.

2	Nov 12 2014	FOR FIELD	MPE
1	Nov 6 2014	FOR FIELD	MPE
0	Oct 7 2014	FOR APPROVAL	MPE
REV	DATE	DESCRIPTION	BY
OHIO STEEL INDUSTRIES 9500 E. BROAD STREET SUMMIT STATION, OHIO			
		JOB NAME: AUTSTIN LANDING (BUILDING LF) CONTRACTOR: OSWALD COMPANY, INC. ARCHITECT: PDT ARCHITECTS, LLC DESCRIPTION: 5th FLOOR FRAMING PLAN-SEQ 5	
HOLES: 13/16" Ø UNO FINISH:	DRAWN BY: MPE DATE: 10-2014	CHKD BY: GDI DATE: 10-31-14	JOB NUMBER: 14-040 SHEET NO: E502